

Message

From: Grange, Gabrielle Fenix [Gabrielle.Grange@doh.hawaii.gov]
Sent: 4/6/2021 6:32:03 PM
To: Linder, Steven [Linder.Steven@epa.gov]; Ichinotsubo, Lene K [lene.ichinotsubo@doh.hawaii.gov]; Tu, Lyndsey [Tu.Lyndsey@epa.gov]
Subject: FW: [EXTERNAL] Re: Reminder - today 11 am RE: Continuous SVM Pilot Test - SAP Addendum Outline
Attachments: CSVN_Pilot_Study_SAP_Addendum-04_Outline_Draft_Rev00_dt_md.pdf

Steve, Thanks for Mark's comment additions. Here is the joint email we propose to send to Susan, including wording from Lene to remind them of our RDD comments. We can certainly send our agency comments separately, as we do for the meeting notes. Either way is fine with us. In any event, it would be great if we could get these out today.

Hi Susan,

Attached are Don Thomas' comments on the draft SAP outline. Some of these have already been discussed at our previous meeting. We just wanted to share the context of his comments in the previous discussions. Mark Duffy has included his comments to the same draft as well. As mentioned yesterday, Don has a couple of clarifying questions about the equipment vapor flow routines and a simple option for on-site testing of the tubing, but rather than editing our comments, we hope to be able to resolve those with the quick call we discussed yesterday. Let's include Mark Duffy in that call as well.

We recognize that this is a pilot test and we'd like to take the opportunity during the pilot to be able to address our concerns as much as possible before moving to designing the long-term monitoring program. Please be reminded of our comments on the Release Detection Decision Document regarding our objectives for continuous soil vapor monitoring for release detection.

Let us know if you have any questions.

Fenix Grange, Supervisor
Site Discovery, Assessment and Remediation Section
Hazard Evaluation and Emergency Response Office
Hawaii Department of Health

Due to COVID-19, HEER is teleworking with limited staff in the office

During office hours, I can be reached in the following three ways:

Gabrielle.grange@doh.hawaii.gov
808-586-4248 office with message forwarding
808-226-5895 – mobile